(ബി) മോണസയറ" ഫാക്ടറി, കാസ്റ്റിക" സോഡാഫാക്ടറി, ഏലക്ടറിക" ഹീററഴ"സ" ഫാക്ടറി, ഉണ്ടയൽ ഫാക്ടറി മുതലായവ.

(സി) മോണസയറ" ഫാക്ടറിക്ക" 10 ലക്ഷം രൂപയും, കാസ്റ്റിക" സോഡാഫാക്ടറിക്ക" 5 ലക്ഷം രൂപയും, മറവള്ള ഫാക്ടറികളുടെ കാര്യം ആലോചനയിലിരിക്കുന്നതേയുള്ളൂ.

Questions posted for answer on 16th March 1951

MALABAR MAIL

*1087. [37] **Sri. Eapen Arackal:** Will the Hon'ble Minister for Education be pleased to state :—

Are the Government aware of the press reports in Malabar Mail dated 25th January 1951 that the Police Officers have given orders that no speech shall be made protesting against the new education scheme in public meetings?

Minister for Education, Food and Labour **(Sri. T. K. Narayana Pillai):** Government have seen the report of a speech published in the "Malabar Mail."

VARIYOOR—PUTHUKULAM

*1088. [43] **Sri. Shree V. Das:** Will the Hon'ble Minister for Agriculture be pleased to answer the following questions:—

(a) are Government aware that about 60 acres of land at the tail end of the Variyur-Puthukulam Scheme canal in the Kanniakumari pakuthi is often subjected to drought;

(b) will Government furnish the reasons for such drought;

(c) have the agriculturists petitioned Government that the canal may be provided with shutters, if so when;

(d) why have no shutters been provided so far;

(e) is water cess assessed for the lands at the tail end of the canal;

(f) is it a fact that the drought at the tail end of the canal can be controlled if the sluices of the canal are provided with shutters?

Minister for Education, Food and Labour **(Sri. T. K. Narayana Pillai):**

(a) Not often, but at times of severe drought.

(b) As the lands are irregular conversions.

(c) Yes, in 1947.

(d) The estimate is under preparation. As soon as it is completed the work will be begun.

(e) Yes.

(f) Yes, to a certain extent but not completely, as supply of water cannot be ensured at the tail ends, the lands there being irregular conversions.

കരിഞ്ചന്തക്കേസ്സ"

*1089. (87) സാഹിബ" ബഹദൂർ വി. ചെലാടി റാവുത്തർ: താഴെ പറയുന്ന ചോദ്യങ്ങൾക്ക" ബഹുമാനപ്പെട്ട സിവിൽ സപ്ലൈസ" വകുപ്പുമന്ത്രി സഭയെ മറുപടി പറയുമോ.—

(എ) കഴിഞ്ഞ അസംബ്ലിക്കുശേഷം എത്ര കരിഞ്ചന്ത കേസും പൂഴ്ത്തിവെയ്പ കേസും കണ്ടുപിടിച്ചിട്ടുണ്ട";

(ബി) ഇതിൽ Purchasing Staff എത്ര കേസ" കണ്ടുപിടിച്ചു; ഓഫീസ" എത്ര കേസ" കണ്ടുപിടിച്ചു;

(സി) ഇവയ്ക കേസുകളിൽ എത്രെങ്കിലും പിൻവലിച്ചിട്ടുണ്ടോ?

വിദ്യാഭ്യാസവും, ഭക്ഷ്യവും, തൊഴിലും വകുപ്പുമന്ത്രി (ശ്രീ. ടി. കെ. നാരായണപിള്ള):

(എ) മൂന്ന കേസുകൾ.

LIBRARY ARCHIVES Kerala Legislative Assembly

(ബി) ഇതിൽ ഫുൾ കേസുകൾ നെല്ലെടുപ്പുദ്യോഗസ്ഥന്മാരും, ൽസ്യ കേസുകൾ പോലീസും കണ്ടുപിടിച്ചു. ബാക്കിയുള്ള കേസുകൾ പൊതുജനങ്ങളും, എക്സൈസ്സ് ഉദ്യോഗസ്ഥന്മാരും കണ്ടുപിടിച്ചിട്ടുള്ളതാണ്.

(സി) ഇല്ല.

ELECTRICITY TO VETCHUR, VADAYAR, ETC.

***1090.** [48] **Sri. P. Gopalan:** Will the Hon'ble Minister for Public Works and Communications be pleased to state:—

(*a*) whether there is a proposal for supplying current to Vadayar, Talayazham and Vetchoor Kari lands for pumping purposes;

(*b*) if the answer to part (*a*) is in the affirmative, how far has it progressed?

Chief Minister **(Sri. C. Kesavan):**

(*a*) No. There is only a proposal to open new centres near Vaikom and that is under consideration. This will facilitate supply of electricity to Vadayar.

(*b*) Does not arise.

LIFT IRRIGATION WORKS

***1091.** [62] **Sri. N. V. Chacko:** Will the Hon'ble Minister for Public Works, Irrigation, etc. be pleased to state:—

(*a*) whether Government have been pleased to include Aikkaranad and Poothrikka among the Lift Irrigation Works selected for 1950-51;

(*b*) whether any work has been started in these two places;

(*c*) whether electric wires have been extended to these two places;

(*d*) whether necessary canals have been cut in these two places;

(*e*) whether the exemption of the lift irrigation to Poothrikka has been given up permanently or stopped temporarily against the original plans and schemes of the Government;

(*f*) if so, what are the reasons for not extending the scheme up to and in Poothrikka also?

Chief Minister **(Sri. C. Kesavan):**

(*a*) Yes.

(*b*) Work has been started in Aikkaranad.

(*c*) Lines are being extended to Aikkaranad pumping house.

(*d*) Channels for a length of 10,000 feet have been dug for Aikkaranad Scheme.

(*e*) The work has been stopped temporarily.

(*f*) The extension of the channel to Poothrikka is not possible because of an intervening depression. There is a proposal for storing water for the Mundakan crop for the 50 acres in Poothrikka from the water pumped out from the Aikkaranad Punja fields.

ഇരവിപുരം—ആയുർ റോഡ്

* ഫ ൦ ൽ വ. (ന്യ) ശ്രീ. പി. കുഞ്ഞുകൃഷ്ണൻ: താഴെ പറയുന്ന ചോദ്യങ്ങൾക്ക് ബഹുമാനപ്പെട്ട ചീഫ് മിനിസ്റ്റർ സദയം മറുപടി നല്കുമോ.—

(എ) കൊല്ലം സെക്ഷനിൽപ്പെട്ട ഗവണ്മെൻറ അംഗീകരിച്ചിട്ടുള്ള ഇരവിപുരം—ആയുർ റോഡ് സഞ്ചാരയോഗ്യമാക്കിത്തീർക്കണമെന്ന കാണിച്ചു ഗവണ്മെൻറിലേക്ക് എന്തെങ്കിലും നിവേദനങ്ങൾ ലഭിച്ചിട്ടുണ്ടോ;

(ബി) പ്രസ്തുതറോഡിൻെറ പണി പൂർത്തിയാക്കണമെന്ന കഴിഞ്ഞകൊല്ലവും ഇക്കൊല്ലവും പി. ഡബ്ല്യു. ഡി. വർക്സ് കമ്മിറ്റി ശുപാർശ ചെയ്തിട്ടുണ്ടോ;

(സി) അതിനെപ്പറ്റി എന്തു നടപടി നടത്തി?

ചീഫ് മിനിസ്റ്റർ (ശ്രീ. സി. കേശവൻ):

(എ) ഉണ്ട്.

LIBRARY ARCHIVES Kerala Legislative Assembly